

II. Amendment to the Claims:

Please amend the claims as set forth below. All amendment is supported by the specification and, thus, no new matter is presented.

1. (Currently Amended) A method for communicating between first and second communication devices in a telephone connection for voice communications, comprising:

receiving, at a server associated with the first communication device, a first signal from the first mobile communication device, the first signal comprising a first request for a data object associated with a second mobile communication device and including at least an identity of the second device;

providing the first mobile communication device the data object associated with the second mobile communication device;

as a result of the first request by the first communication device, providing identification information of the first communication device that enables the second communication device to access a data object associated with the first communication device; and

providing to the second communication device a data object associated with the first communication device based on the provided identification information of the first communication device[.];

wherein the second communication device is provided a data object associated with the first communication device only if the first communication device requested a data object associated with the second communication device; and

wherein the data objects have at least one of visual information and aural information that is to be presented to a requesting party.

2. (Original) The method of claim 1, wherein the first signal includes a dialed number corresponding to the second mobile communication device and an identification of the first mobile communication device.

3. (Previously Amended) The method of claim 1, wherein the data object provided to the second communication device that is associated with the first communication device is rendered without using calling line identification (CLI) information of the first communication device.

4. (Currently Amended) A method for communicating between a second communication device and a first communication device in a telephone connection for voice communications, comprising the steps of:

identifying, at the second communication device, the occurrence of a triggering event;

transmitting to a server associated with the second communication device a request for a data object associated with the first communication device; and

receiving the requested data object from the second server;

wherein the request for a data object by the second communication device for a data object associated with the first communication device is fulfilled only if the first communication device requested a data object associated with the second communication device; and [[.]]

wherein the data objects have at least one of visual information and aural information that is to be presented to a requesting party.

5. (Previously Amended) The method of claim 4, wherein the triggering event does not include calling line identification (CLI) information of the first communication device.
6. (Previously Amended) The method of claim 4, wherein the triggering event includes a calling line identification information of the first communication device, but wherein the requested data object associated with the first communication device that is provided to the second communication device is not derived on the basis of the calling line identification information.
7. (Previously Amended) The method of claim 4, wherein the requested data object associated with the first communication device that is provided to the second communication device is generated in the server based on calling information provided by a second server associated with the first communication device.
8. (Previously Cancelled)
9. (Previously Amended) The method of claim 4, wherein the data object request for a data object associated with the first communication device does not include calling line identification (CLI) information.
10. (Previously Amended) The method of claim 4, wherein the data object request for a data object associated with the first communication device includes calling line interface (CLI) information, and wherein the request is serviced by determining whether the requested data object can be provided faster based on the CLI information or faster based on other identification information of the first communication device provided as a result

of the first communication device's request for a data object associated with the second communication device, and providing the requested information using the faster technique.

11. (Previously Amended) The method of claim 4, wherein the data object associated with the first communication device that is provided to the second communication device includes a pointer to a phone page associated with the first communication device.

12. (Previously Amended) The method of claim 4, wherein the data object associated with the first communication device that is provided to the second communication device includes a phone page associated with the first communication device.

13. (Previously Amended) The method of claim 4, wherein the data object associated with the first communication device that is provided to the second communication device comprises the public identity of the first communication device.

14. (Previously Presented) The method of claim 1, wherein the identification information of the first communication device, that is provided as a result of the first communication device's request for a data object associated with the second communication device, comprises the data object itself of the first communication device.

15. (Previously Presented) The method of claim 1, wherein the identification information of the first communication device, that is provided as a result of the first communication device's request for a data object associated with the second communication device, comprises the public identity of the first communication device that is used to access the data object of the first communication device provided to the second communication device.

16. (Previously Presented) The method of claim 1, wherein the second communication

device is unable to access the data object associated with the first communication device unless the first communication device requests the data object associated with the second communication device.

17. (Previously Presented) The method of claim 1, wherein the first communication device has a secret or unlisted phone number such that the phone number is not automatically made available to called parties as CLI information.